



HUGO

Gold



HUGO LIGHTING

Hugo Lighting has been operating in the lighting industry for the past 15 years supplying electrical wholesalers. We offer one of the most comprehensive lighting ranges available for residential, commercial and industrial applications.

At HUGO Lighting we value Quality, Innovation and Creativity.

Our mission is to provide exceptional customer service and quality products engineered and designed for the New Zealand market. We offer architecturally designed lighting solutions for everyday use, and we are here to support you in the selection process for your next project.

Lighting should be considered the fourth dimension of architecture, there to complement and enhance the project. Finding the product is just the start of the lighting selection process; the placement, quantity and colour rendering are all important elements to consider when lighting a space.

In this catalogue you will find a selection of our premium designer lights for indoor and outdoor applications. See our full range of products online or give one of our local sales team a call – visit hugolighting.com


Mark Ralston
Owner



PENDANTS
1 - 20 page




INDOOR WALL
21 - 24 page



INDOOR SURFACE
24 - 34 page




DOWNLIGHTS
35 - 44 page




MARKER
45 - 46 page



OUTDOOR WALL
47 - 50 page



BOLLARDS
51 - 52 page



OUTDOOR GROUND
53 - 62 page



PENDANTS

PEN771 60W E27

O

DW

PENDANTS



* PEN771O Oak



PENDANTS

PEN772 60W E27
PEN773 2 x 60W E27

O

DW

PENDANTS



PEN773 2x60W E27 Dark Walnut (DW) Oak (O)
400x500x80mm, 1.5m Cable Length



PEN772 60W E27 Dark Walnut (DW) Oak (O)
400x400x80mm, 1.5m Cable Length



PEN771 60W E27 Dark Walnut (DW) Oak (O)
300x400x80mm, 1.5m Cable Length



* PEN772DW Walnut



PENDANTS

PEN791A 60W E27

A

PENDANTS



* PEN791A Ash

PENDANTS



PENDANTS



* PEN791A Ash

PEN791A 60W E27 Ash
210mm, 1.5m Cable Length



PENDANTS

PEN781 20W LED

B

WN

PENDANTS



* PEN781B Beech

PENDANTS



PEN782 28W LED

B

WN

PENDANTS



PEN782 28W LED Beech (B) Walnut (WN)
1,800mm, 1.5m Cable Length, Dimmable
PEN781 20W LED Beech (B) Walnut (WN)
1,300mm, 1.5m Cable Length, Dimmable



PENDANTS

PEN705 40W E27

O
W
M

PENDANTS



* PEN705W Walnut
* PEN705M Mixed

PENDANTS



PEN705 40W E27

O
W
M

PENDANTS



PEN705 40W E27 Walnut (W) Mixed (M) Oak (O)
330x250mm, 1.5m Cable Length



PENDANTS

PEN702 40W E27

DW

O

PENDANTS



* PEN7020 Oak

PENDANTS



PEN702 40W E27

DW

O

PENDANTS



* PEN7020 Oak



PEN702 40W E27 Oak (O)
330x250mm, 1.5m Cable Length



PEN702 40W E27 Dark Walnut (DW)
330x250mm, 1.5m Cable Length



PENDANTS

PEN708P 60W E27

P

PENDANTS



* PEN708P Plywood

PENDANTS



PEN708P 60W E27

P

PENDANTS



PEN708P 60W E27 Plywood
500x500mm, 1.5m Cable Length



PENDANTS

PEN725P 60W E27

P

PENDANTS



PEN725P 60W E27 Plywood
330x250mm, 1.5m Cable Length



PENDANTS

PEN443 100W E27

C

BK

PENDANTS



* PEN443C Chrome

PEN443 100W E27 Black (BK) Chrome (C)
300mm, 1.5m Cable Length

PEN442 100W E27
PEN441 60W E27

C

BK



PEN441 60W E27 Black (BK) Chrome (C)
160mm, 1.5m Cable Length



PEN442 100W E27 Black (BK) Chrome (C)
220mm, 1.5m Cable Length



PENDANTS



PENDANTS

* PEN532, PEN534C, PEN534BR, PEN533, PEN534GD



PENDANTS



PEN532 60W E27
PEN533 60W E27

PEN532 60W E27 Glass
200x200mm, 1.5m Cable Length

PEN533 60W E27 Glass
200x200mm, 1.5m Cable Length

PEN534 60W E27

PEN534 60W E27
Gold (GD) Brass (BR) Chrome (C)
200x200mm, 1.5m Cable Length

BR

GD

C

PENDANTS



PENDANTS

PEN426 100W E27
PEN425 100W E27

W

BK

PENDANTS



PEN425W 100W E27 White
350x200mm, 1.5m Cable Length

PEN426 100W E27 Matt White (W) Matt Black (BK)
500x500mm, 1.5m Cable Length

PENDANTS



PEN427 3x60W E27

W

PENDANTS



PEN427 3x60W E27
500x500mm, 1.5m Cable Length




PENDANTS

PEN461 15W CFL E27

DW

B

PENDANTS



PEN461 15W CFL E27 Silicone Green (G) Blue (B)
250x250mm, 1.5m Cable Length



PENDANTS

PEN521 15W LED

W

PENDANTS



PEN521 3x5W LED
300x34mm, 1.5m Cable Length




LED WALL LIGHTS

LED WALL LIGHTS


SWLO42
4.2W
593lm

MW

BK



SWLO42MW Matt White



SWLO42BK Matt Black



Wattage	4.2W
Lumens	593lm
Overall	425x44mm
Projection	44mm
Dimmable	Yes
Colour Temp	3,000K
IP	20
Beam	Backlit
CRI	90+
Input	230V

LED WALL LIGHTS



LED WALL LIGHTS

SWLO44
5.5W
593lm

MW

BK



SWLO44BK Matt Black



SWLO42MW Matt White



Wattage	5.5W
Lumens	400lm
Overall	80x175mm
Projection	90mm
Dimmable	Yes
Colour Temp	3,000K
IP	20
Beam	Backlit
CRI	90+
Input	230V




LED WALL LIGHTS

LED WALL LIGHTS

SWL048
2 x 6.2W
515lm

MW

BK



SWL048 Matt White

LED WALL LIGHTS




LED WALL LIGHTS

SWL440
5.8W
205lm

MW

BK




SWL440BK Matt Black Adjustable

Wattage	2 x 6.2W
Lumens	515lm
Overall	26 x 205mm
Projection	95mm
Dimmable	Yes
Colour Temp	3,000K
IP	20
Beam	Uplight / Down
CRI	80+
Input	230V



5.8W	Wattage
205.5lm	Lumens
121 x 121mm	Overall
71mm	Projection
No	Dimmable
3,000K	Colour Temp
65	IP
Adjustable	Beam
85+	CRI
06	IK
230V	Input





LED SURFACE LIGHTS

LED SURFACE LIGHTS

SCLG12W
12W
1,400lm

SCLG25W
25W
3,000lm

MW



SCLG12W 12W Matt White

LED SURFACE LIGHTS



LED SURFACE LIGHTS

Ivy

DSK601
9W
1,200lm

MW

BK




DSK601MW Matt White



DSK601BK Matt Black

	SCLG12W	SCLG25W3K	SCLG25W3K
Wattage	12W	25W	25W
Lumens	1,400lm	2,800lm	3,000lm
Overall	250mm	400mm	400mm
Projection	33mm	33mm	33mm
Dimmable	Yes	Yes	Yes
Colour Temp	3,000K	3,000K	4,000K
IP	40	40	40
Beam	100°	100°	100°
CRI	80+	80+	80+
UGR	<23	<22	<22
Input	230V	230V	230V



Wattage	9W
Lumens	1,200lm
Overall	93mm
Projection	114mm
Dimmable	Yes
Colour Temp	3,000K
IP	20
Beam	46°
CRI	97+
UGR	<14
Input	230V



LED SURFACE LIGHTS


LED SURFACE LIGHTS

DSK602
9W
1,200lm

Ivy

MW

BK



DSK602MB Matt Black



DSK602MW Matt White

LED SURFACE LIGHTS




LED SURFACE LIGHTS

DSK603
2 x 9W
2 x 1,200lm

Ivy

MW

BK




DSK603MW Matt White



DSK603BK Matt Black

Wattage	9W
Lumens	1,200lm
Overall	93mm
Projection	114mm
Dimmable	Yes
Colour Temp	3,000K
IP	20
Beam	46°
CRI	97+
UGR	<14
Input	230V



Wattage	2 x 9W
Lumens	2 x 1,200lm
Overall	186x93mm
Projection	114mm
Dimmable	Yes
Colour Temp	3,000K
IP	20
Beam	46°
CRI	97+
UGR	<14
Input	230V



LED SURFACE LIGHTS

LED SURFACE LIGHTS

DLEK934
13.7W
1,200lm

MW

BK



DLEK934BK Matt Black



DLEK934MW Matt White

LED SURFACE LIGHTS



LED SURFACE LIGHTS

DLEK933
13W
1,200lm

MW

BK




DLEK933MW Matt White



DLEK933BK Matt Black

	DLEK9343K	DLEK9344K
Wattage	13.7W	13.7W
Lumens	1,200lm	1,200lm
Overall	100mm	100mm
Projection	60mm	60mm
Cut Out	90mm	90mm
Dimmable	Yes	Yes
Colour Tem	3,000K	4,000K
IP	20	20
Beam	40°	40°
CRI	97+	97+
UGR	<15.3	<15.3
Rating	IC-F	IC-F
Input	230V	230V



	DLEK9334K	DLEK9333K
Wattage	13W	13W
Lumens	1,200lm	1,200lm
Overall	100mm	100mm
Projection	100mm	100mm
Dimmable	Yes	Yes
Colour Temp	4,000K	3,000K
IP	20	20
Beam	40°	40°
CRI	97+	97+
UGR	<15.3	<15.3
Input	230V	230V



Wattage	
Lumens	
Overall	
Projection	
Dimmable	
Colour Temp	
IP	
Beam	
CRI	
UGR	
Input	



LED SURFACE LIGHTS

LED SURFACE LIGHTS

DLEK935
9W
946lm

MW

BK



DLEK935BK Matt Black



DLEK935MW Matt White

LED SURFACE LIGHTS



LED SURFACE LIGHTS

DLEK936
2 x 9W
2 x 946lm

MW

BK




DLEK936MW Matt White

Wattage	9W
Lumens	946lm
Overall	91 x 75mm
Projection	91mm
Dimmable	Yes
Colour Temp	3,000K
IP	20
Beam	48°
CRI	97+
UGR	<16
Input	230V



Wattage	2 x 9W
Lumens	2 x 946lm
Overall	160 x 75mm
Projection	91mm
Dimmable	Yes
Colour Temp	3,000K
IP	20
Beam	46°
CRI	97+
UGR	<16
Input	230V





LED SURFACE LIGHTS

LED SURFACE LIGHTS

SWL632
30W
2,100lm

MW

BK



SWL632BK Matt Black

LED SURFACE LIGHTS



LED SURFACE LIGHTS

SWL631
12W
830lm

MW

BK



SWL631BK Matt White

Wattage	30W
Lumens	2,100lm
Overall	265 x 90mm
Projection	265mm
Dimmable	Yes
Colour Temp	3,000K
IP	20
Beam	38° + 15°
CRI	95+
UGR	<7
Input	230V



Wattage	12W
Lumens	830lm
Overall	205 x 63mm
Projection	205mm
Dimmable	Yes
Colour Temp	3,000K
IP	20
Beam	40° + 16°
CRI	95+
UGR	<7
Input	230V



LED DOWNLIGHTS

LED DOWNLIGHTS

LED DOWNLIGHTS



LED DOWNLIGHTS

DLEK534
10.5W
900lm

Eve

DLEK533
10.5W
900lm

Eve

MW

BK

MW

BK



DLEK534BK Tilt Matt Black



DLEK534MW Tilt Matt White



DLEK533BK Fixed Matt Black




DLEK533MW Fixed Matt White

Wattage	10.5W
Lumens	900lm
Overall	80mm
Cut Out	75mm
Recess	85mm
Dimmable	Yes
Colour Temp	3,000K
IP	43
Beam	45°
CRI	97+
UGR	<14
Rating	IC-F
Input	230V



Wattage	10.5W
Lumens	900lm
Overall	80mm
Cut Out	75mm
Recess	85mm
Dimmable	Yes
Colour Temp	3,000K
IP	43
Beam	45°
CRI	97+
UGR	<14
Rating	IC-F
Input	230V





LED DOWNLIGHTS

LED DOWNLIGHTS

DLEK536
10.5W
900lm

Eve

MW

BK



DLEK536MW Wall Washer Matt White



DLEK536BK Wall Washer Matt Black

LED DOWNLIGHTS



LED DOWNLIGHTS

DLEK926
10W
900lm

MW




DLEK926MW Acoustic + Fire Rated + IP65

Wattage	10.5W
Lumens	900lm
Overall	80mm
Cut Out	75mm
Recess	85mm
Dimmable	Yes
Colour Temp	3,000K
IP	43
Beam	45°
Fitting Angel	26°
CRI	97+
UGR	<14
Rating	IC-F
Input	230V



	DLEK9264K	DLEK9263K	
Wattage	10W	10W	Wattage
Lumens	900lm	900lm	Lumens
Overall	100mm	100mm	Overall
Cut Out	92mm	92mm	Cut Out
Recess	64mm	64mm	Recess
Dimmable	Yes	Yes	Dimmable
Colour Temp	4,000K	3,000K	Colour Temp
IP	65	65	IP
Beam	45°	45°	Beam
CRI	97+	97+	CRI
UGR	<19	<19	UGR
Rating	IC-F	IC-F	Rating
Input	230V	230V	Input



FIRE RATED





LED DOWNLIGHTS

LED DOWNLIGHTS

DLEK813
6W
400lm

MW



DLEK813MW Matt White

Wattage	6W
Lumens	400lm
Overall	66mm
Cut Out	58mm
Recess	55mm
Dimmable	Yes
Colour Temp	3,000K
IP	20
Beam	36°
CRI	85+
UGR	<20
Rating	IC-F
Input	230V

LED DOWNLIGHTS



LED DOWNLIGHTS

Bella

DLEK741
9W
900lm

MW

BK



DLEK741MW Matt Black



DLEK741MW Matt White

	DLEK7414K	DLEK7413K	
Wattage	9W	9W	Wattage
Lumens	900lm	900lm	Lumens
Overall	110mm	110mm	Overall
Cut Out	100mm	100mm	Cut Out
Recess	86mm	86mm	Recess
Dimmable	Yes	Yes	Dimmable
Colour Temp	4,000K	3,000K	Colour Temp
IP	20	20	IP
Beam	60°	60°	Beam
CRI	90+	90+	CRI
UGR	<19	<19	UGR
Rating	IC-F	IC-F	Rating
Input	230V	230V	Input





LED DOWNLIGHTS

LED DOWNLIGHTS

DLEK731
9W
900lm

Bella

MW

BK



DLEK731MW Matt White



DLEK731BK Matt Black

	DLEK7313K	DLEK7314K
Wattage	9W	9W
Lumens	900lm	900lm
Overall	110mm	110mm
Cut Out	100mm	100mm
Recess	86mm	86mm
Dimmable	Yes	Yes
Colour Temp	3,000K	4,000K
IP	20	20
Beam	60°	60°
CRI	90+	90+
UGR	<19	<19
Rating	IC-F	IC-F
Input	230V	230V



LED DOWNLIGHTS




LED DOWNLIGHTS

DLEK732
2 x 9W
2 x 900lm


Bella

MW

BK



DLEK732MW Matt White



DLEK732BK Matt Black

	DLEK7324K	DLEK7323K
Wattage	2 x 9W	2 x 9W
Lumens	2 x 900lm	2 x 900lm
Overall	110 x 220mm	110 x 220mm
Cut Out	100 x 210mm	100 x 210mm
Recess	86mm	86mm
Dimmable	Yes	Yes
Colour Temp	4,000K	3,000K
IP	20	20
Beam	60°	60°
CRI	90+	90+
UGR	<19	<19
Rating	IC-F	IC-F
Input	230V	230V





LED DOWNLIGHTS

LED DOWNLIGHTS

LED DOWNLIGHTS



LED DOWNLIGHTS

DLEK751
12W
900lm

DLEK752
2 x 12W
2 x 900lm

MW

MW

BK

BK





DLEK751MW Matt White

DLEK751BK Matt Black

DLEK752BK Matt Black

DLEK752MW Matt White

DLEK7513K DLEK7513K



DLEK7524K DLEK7523K

Wattage	12W	12W
Lumens	900lm	900lm
Overall	100mm	100mm
Cut Out	92mm	92mm
Recess	117mm	117mm
Dimmable	Yes	Yes
Colour Temp	3,000K	4,000K
IP	20	20
Beam	60°	60°
CRI	90+	90+
UGR	<13.6	<13.6
Rating	IC-F	IC-F
Input	230V	230V



Wattage	2 x 12W	2 x 12W
Lumens	2 x 900lm	2 x 900lm
Overall	100 x 200mm	100 x 200mm
Cut Out	92 x 192mm	92 x 192mm
Recess	117mm	117mm
Dimmable	Yes	Yes
Colour Temp	4,000K	3,000K
IP	20	20
Beam	60°	60°
CRI	90+	90+
UGR	<13.6	<13.6
Rating	IC-F	IC-F
Input	230V	230V



LED MARKER LIGHTS

LED MARKER LIGHTS

LED MARKER LIGHTS



LED MARKER LIGHTS

MKL364 365
1W
132lm

MW

BK




MKL364MW Matt White



MKL365MW Matt White

MKL425 426
4W
346lm

MW



MKL425 Warm White Matt White



MKL426 Warm White Matt White

	MKL364	MKL365
Wattage	1W	1W
Lumens	132lm	132lm
Overall	44mm	44mm
Cut Out	40mm	40mm
Recess	50mm	50mm
Dimmable	No	No
Colour Temp	3,000K	3,000K
IP	20	20
Beam	40°	70°
CRI	85+	85+
Rating	IC-F	IC-F
Input	230V	230V

	MKL425	MKL426	
Wattage	4W	4W	Wattage
Lumens	346lm	346lm	Lumens
Overall	65mm	65mm	Overall
Cut Out	57mm	57mm (round)	Cut Out
Recess	65mm	65mm	Recess
Dimmable	No	No	Dimmable
Colour Temp	3,000K	3,000K	Colour Temp
IP	20	20	IP
Beam	30°	30°	Beam
CRI	80+	80+	CRI
Rating	IC-F	IC-F	Rating
Input	230V	230V	Input




LED OUTDOOR WALL

LED OUTDOOR WALL


SWL441
5.7W
220lm

MW




BK



SWL441BK Warm White Matt Black



Wattage	5.7W
Lumens	220lm
Overall	100 x 100mm
Projection	101mm
Dimmable	No
Colour Temp	3,000K
IP	65
Beam	Adjustable
CRI	85+
IK	06
Input	230V



LED OUTDOOR WALL



LED OUTDOOR WALL


SWL442
2 x 8.5W
2 x 573lm

MW



BK



SWL442BK Warm White Matt Black



Wattage	2 x 8.5W
Lumens	2 x 573lm
Overall	200 x 100mm
Projection	101mm
Dimmable	No
Colour Temp	3,000K
IP	65
Beam	Adjustable
CRI	90+
IK	06
Input	230V






LED OUTDOOR WALL

LED OUTDOOR WALL


SWL443
7.2W
2 x 177lm

MW

BK



SWL443MW Warm White Matt White



SWL443BK Warm White Matt Black

LED OUTDOOR WALL




LED OUTDOOR WALL


SWL444
13.9W
2 x 343lm

MW

BK





SWL444MW Warm White Matt White




SWL444BK Warm White Matt Black

Wattage	7.2W
Lumens	2 x 177lm
Overall	90 x 110mm
Projection	36mm
Dimmable	No
Colour Temp	3,000K
IP	65
Beam	Up/Down
CRI	85+
IK	06
Input	230V



Wattage	13.9W
Lumens	2 x 343lm
Overall	90 x 173mm
Projection	36mm
Dimmable	No
Colour Temp	3,000K
IP	65
Beam	Up/Down
CRI	85+
IK	06
Input	230V





LED OUTDOOR BOLLARD

LED OUTDOOR BOLLARD

BLL317
15.6W
173lm

BK



BLL317_-50 Frosted Matt Black

BLL317_-80 Frosted Matt Black



	BLL317_-80	BLL317_-50
Wattage	15.6W	15.6W
Lumens	173lm	173lm
Overall	115mm	115mm
Height	870mm	570mm
Dimmable	No	No
Colour Temp	3,000/4,000K	3,000/4,000K
IP	67	67
CRI	80+	80+
IK	07	07
Input	230V	230V
Accessory	Concrete Anchor (BLL316AB)	

LED OUTDOOR BOLLARD



LED OUTDOOR BOLLARD

BLL316
11W
461lm

BK



BLL316_-80 Clear Matt Black

BLL316_-50 Clear Matt Black



	BLL316_-50	BLL316_-80
Wattage	11W	11W
Lumens	461lm	461lm
Overall	115mm	115mm
Height	590mm	890mm
Dimmable	No	No
Colour Temp	3,000/4,000K	3,000/4,000K
IP	65	65
CRI	88+	88+
IK	07	07
Input	230V	230V
Accessory	Concrete Anchor (BLL316AB)	



LED OUTDOOR GROUND

LED OUTDOOR GROUND

GDL436
6W
400lm

BK

BZ



GDL436BZ Bronze



GDL436BK Matt Black

Wattage	6W
Lumens	400lm
Overall	500 x 45mm
Dimmable	No
Colour Temp	3,000K
IP	65
Beam	20.4
CRI	85+
Cable	1.5m
IK	IK06
Input	12V DC

LED OUTDOOR GROUND



LED OUTDOOR GROUND

GDL361 GDL351
1W
65lm

S

BZ


SS

LED COLOUR


WW

CW

B



GDL351__S Silver Single Aperture



GDL351__BZ Bronze Single Aperture



GDL361__SS 316 SS Single Aperture



1W	Wattage
65lm	Lumens
58mm	Overall
40mm	Cut Out
50mm	Recess
No	Dimmable
WW, CW, Blue	Colour Temp
54	IP
Single Aperture	Beam
85+	CRI
0.5m	Cable
08	IK
350mA	Input



LED OUTDOOR GROUND

LED OUTDOOR GROUND

GDL362 GDL352
1W
65lm

S

BZ


SS

LED COLOUR


WW

CW


B




GDL352__S Silver Twin Aperture



GDL352__BZ Bronze Twin Aperture



GDL354__S Silver Quad Aperture





GDL354__BZ Bronze Quad Aperture



GDL362__SS 316 SS Twin Aperture



GDL364__SS 316 SS Quad Aperture



Wattage	1W
Lumens	65lm
Overall	58mm
Cut Out	40mm
Recess	50mm
Dimmable	No
Colour Temp	WW, CW, Blue
IP	54
Beam	Twin Aperture
CRI	85+
Cable	0.5m
IK	08
Input	350mA

Wattage	1W
Lumens	65lm
Overall	58mm
Cut Out	40mm
Recess	50mm
Dimmable	No
Colour Temp	WW, CW, Blue
IP	54
Beam	Quad Aperture
CRI	85+
Cable	0.5m
IK	08
Input	350mA

LED OUTDOOR GROUND



LED OUTDOOR GROUND

GDL364 GDL354
1W
65lm

S

BZ

SS

LED COLOUR

WW

CW

B



LED OUTDOOR GROUND

LED OUTDOOR GROUND

GDL371
1W
12.4lm

BK


BZ

SS


LED COLOUR

WW


CW



GDL371__BZ Cool/Warm White Bronze GDL371__SS Cool/Warm White 316 SS



GDL371__BK Cool/Warm White Matt Black



Wattage	1W
Lumens	12.4lm
Overall	45mm
Cut Out	44mm
Recess	60mm
Dimmable	No
Colour Temp	3,000/6,000K
IP	67
Beam	Open
CRI	80+
Cable	1.5m
IK	08
Input	24V DC



LED OUTDOOR GROUND

LED OUTDOOR GROUND

GDL370
1W
13.4lm

BK


BZ

SS


LED COLOUR

WW

CW



GDL370__BZ Cool/Warm White Bronze GDL370__SS Cool/Warm White 316 SS



GDL370__BK Cool/Warm White Matt Black

Wattage	1W
Lumens	12.4lm
Overall	45mm
Cut Out	44mm
Recess	60mm
Dimmable	No
Colour Temp	3,000/6,000K
IP	67
Beam	Open
CRI	80+
Cable	1.5m
IK	08
Input	24V DC



LED OUTDOOR GROUND

LED OUTDOOR GROUND

GDL613
0.4W
62lm


SS

BZ

LED COLOUR

WW

CW



GDL613BZ Warm White Bronze




GDL613__ Warm/Cool White 316 SS

GDL615
1.1W
29.6lm

BZ

SS



GDL615__ Warm/Cool White 316 SS



GDL615BZ Warm White Bronze

LED OUTDOOR GROUND



LED OUTDOOR GROUND


GDL815
1W
70lm

SS

LED COLOUR

WW


CW




GDL815__ Cool/Warm White 316 Stainless Steel

GDL814
2.4W
70lm

BZ



GDL814BZ Warm White Bronze



	GDL613	GDL615
Wattage	0.4W	1.1W
Lumens	62lm	29.6lm
Overall	28mm	28mm
Cut Out	20mm	25mm
Recess	30mm	45mm
Dimmable	No	No
Colour Temp	3,000 / 4,000K	3,000 / 4,000K
IP	65	66
Beam	82	47
CRI	85+	85+
Cable	0.5m	0.5m
IK	06	08
Input	12V DC	350mA

	GDL814	GDL815	
Wattage	2.4W	1W	Wattage
Lumens	82.9lm	70lm	Lumens
Overall	40mm	39mm	Overall
Cut Out	36mm	32mm	Cut Out
Recess	64mm	70mm	Recess
Dimmable	No	No	Dimmable
Colour Temp	3,000K	3,000 / 4,000K	Colour Temp
IP	66	68	IP
Beam	10.4	45	Beam
CRI	85+	85+	CRI
Cable	0.5m	1m	Cable
IK	06	06	IK
Input	12V DC	350mA	Input




LED OUTDOOR GROUND

LED OUTDOOR GROUND


GDL817
8.5W
687lm

SS



GDL817WW Tilt 316 Stainless Warm White

Wattage	8.5W
Lumens	687lm
Overall	106mm
Cut Out	100mm
Recess	151mm
Dimmable	No
Colour Temp	3,000K
IP	67
Beam	15
CRI	85+
Cable	1.5m
IK	09
Input	230V




LED OUTDOOR GROUND



LED OUTDOOR GROUND

GDL816
9W
473lm

SS



GDL816WW 316 Stainless Warm White

Wattage	9W
Lumens	473lm
Overall	80mm
Cut Out	74mm
Recess	136mm
Dimmable	No
Colour Temp	3,000K
IP	67
Beam	36
CRI	85+
Cable	1.5m
IK	07
Input	230V



FLD050T4 50W Asymmetrical Flood



FLAC200 200W Floodlight



FLAC020 20W Floodlight



WP2150 7,000lm Batten 3CCT



DLE3251 18W Commercial Downlight 3CCT



SCL3225 25W 3CCT Ceiling Light



HB515-5 150W Food Highbay



HB720 UGR Highbay with Sensor



HB201-5 200W Highbay



DLEK361 6W 800lm Downlight 3CCT



DLEK341 800lm 3CCT Downlight



DLEK3220 8W 700lm Downlight



HB201-5B 200W Sensor Highbay



Medical/Education Panel




BAT1500-3 3CCT Batten



DLED812 3W Mini Downlight



SWL336AC 12W Bathroom Light



SWL445 6.9W IP54 Wall Light

HUGO LIGHTING



www.hugolighting.com



info@hugolighting.com



(+64)3 942 1272



2/22 Sonter Road, Wigram,
Christchurch, New Zealand 8042

